


# KISS<sup>©</sup>

Precision Creasing Systems

NEW AND IMPROVED

## Product Profile

Kiss Crease is the optimum balance between cost and quality. Kiss has precision engineered plastic shoulders on a micro thin polyester film base with a perfectly registered locator. Decades of continuous development and experience have lead to efficient manufacture to the highest standards giving this optimum cost and quality balance. With a full range of standard, large, mini, off-centre and double sizes, there is a Kiss Crease matrix to meet any creasing requirement.



- ① Locator
- ② Improved chamfered edge profile
- ③ Self-adhesive, micro thin polyester base
- ④ Finger lift adhesive backing paper

### Key features include:

- Precision engineered plastic shoulders are extremely accurate and durable
- Micro thin polyester film base to reduce rule height adjustments
- Perfectly registered locator ensures accurate and high quality creasing
- Low profile reduces board stress and smooth mitred edges allow fast running
- All profiles are individuality colour coded and labelled for easy reference and to minimise the risk of mixing sizes during make ready (see separate charts)


### Available in a comprehensive range of sizes:

- Standard
- Large
- Off-centre
- Mini
- Double-crease

# KISS<sup>©</sup>

Precision Creasing Systems


NEW AND IMPROVED



Manufactured under a quality system certified as complying with ISO 9001 by an accredited certification body.

12/09


Trimplex



## Standard Matrix

### Plastic counter – Film Base

Precision engineered plastic shoulders on micro thin polyester base with perfectly registered locator. Standard sizes of Kiss Crease have 36 strips of 700mm in each box.



Colour Code	A	B	Board Thickness		Board Wt (gms/m2)	Order Code
			(microns)	(0.001")		
Arctic White	0.30	x 0.50	≤100	2-4	50-100	KS-705-030
Daffodil	0.30	x 0.60	≤100	2-4	50-100	KS-706-030
Alpine	0.30	x 0.80	≤150	2-6	50-100	KS-708-030
Blueberry	0.30	x 1.00	100-200	4-8	100-175	KS-710-030
Light Pink	0.30	x 1.20	190-230	7-9	170-195	KS-712-030
Rose Pink	0.30	x 1.30	300-350	12-14	200-250	KS-713-030
Titanium	0.30	x 1.40	320-420	13-17	225-290	KS-714-030
Light Orange	0.30	x 1.50	355-430	14-17	250-300	KS-715-030
Moonstone	0.30	x 1.70	460-520	18-20	300-335	KS-717-030
Platinum	0.40	x 0.50	≤100	2-4	50-100	KS-705-040
Fire	0.40	x 0.60	≤100	2-4	50-100	KS-706-040
Orange	0.40	x 0.80	≤150	2-6	50-150	KS-708-040
Beige	0.40	x 1.00	100-200	4-8	100-175	KS-710-040
Lilac	0.40	x 1.20	150-240	6-9	150-200	KS-712-040
Pale Blue	0.40	x 1.30	320-400	13-16	225-275	KS-713-040
Ocean	0.40	x 1.40	330-420	13-17	225-290	KS-714-040
Flame	0.40	x 1.50	370-440	14-17	250-300	KS-715-040
Holly	0.40	x 1.60	440-500	17-20	290-335	KS-716-040
Vanilla	0.40	x 1.70	420-540	19-21	360-375	KS-717-040
Mustard	0.40	x 1.90	530-580	21-23	350-400	KS-719-040
Lime	0.40	x 2.70	700-800	28-31	460-500	*KS-725-100
Royal Blue	0.45	x 0.80	≤150	2-6	50-150	KS-708-045
Ivory	0.45	x 1.20	225-310	9-12	185-225	KS-712-045
White	0.45	x 1.30	340-410	13-16	240-270	KS-713-045
Toffee	0.45	x 1.40	350-420	14-17	240-290	KS-714-045
Apple Green	0.45	x 1.50	375-450	15-18	260-300	KS-715-045
Moss	0.50	x 0.80	≤150	2-6	50-150	KS-708-050
Peach	0.50	x 1.00	170-200	7-9	165-190	KS-710-050
Olive	0.50	x 1.20	285-330	11-13	210-240	KS-712-050
Bright Green	0.50	x 1.30	340-420	13-17	240-290	KS-713-050
Terracotta	0.50	x 1.40	350-420	14-17	240-290	KS-714-050
Yellow	0.50	x 1.50	440-500	17-20	290-335	KS-715-050
Cornflower	0.50	x 1.60	490-520	19-20	360-370	KS-716-050
Avocado	0.50	x 1.70	500-550	20-22	350-375	KS-717-050
Ice Blue	0.50	x 1.90	540-590	21-23	350-400	KS-719-050
Ebony	0.50	x 2.10	570-630	22-25	375-410	KS-721-050

Colour Code	A	B	Board Thickness		Board Wt (gms/m2)	Order Code
			(microns)	(0.001")		
Black	0.55	x 1.30	340-450	13-18	240-300	KS-713-055
Lagoon	0.55	x 1.40	350-420	14-17	240-290	KS-714-055
Fuschia	0.55	x 1.50	450-510	18-20	300-335	KS-715-055
Mango	0.55	x 1.60	490-520	19-20	360-370	KS-716-055
Powder Blue	0.55	x 1.70	510-570	20-23	350-400	KS-717-055
Aubergine	0.60	x 1.30	350-450	14-18	250-300	KS-713-060
Navy Blue	0.60	x 1.50	460-520	18-20	300-335	KS-715-060
Spearmint	0.60	x 1.60	490-530	19-21	360-370	KS-716-060
Purple	0.60	x 1.70	525-600	21-24	350-400	KS-717-060
Green	0.60	x 1.90	540-600	21-24	350-400	KS-719-060
Diamond White	0.60	x 2.10	580-630	23-25	385-410	KS-721-060
Tangerine	0.60	x 2.30	630-700	25-27	400-465	KS-723-060
Racing Green	0.60	x 2.50	700-780	28-31	460-500	*KS-725-060
Sand	0.60	x 2.70	700-800	28-31	460-500	*KS-727-060
Honeysuckle	0.60	x 3.00	750-850	30-33	485-565	*KS-730-060
Burgundy	0.65	x 2.10	580-650	23-26	385-435	KS-721-065
Sherbet	0.70	x 1.30	350-450	14-18	250-300	KS-713-070
Rosewood	0.70	x 1.50	480-550	19-22	350-365	KS-715-070
Cinnamon	0.70	x 1.70	530-600	21-24	350-400	KS-717-070
Coffee	0.70	x 1.90	550-600	22-24	350-400	KS-719-070
Sandstone	0.70	x 2.10	600-680	24-27	400-450	KS-721-070
Red	0.70	x 2.30	640-700	25-28	420-465	KS-723-070
Dusk	0.70	x 2.50	700-800	28-31	460-500	*KS-725-070
Peppermint	0.70	x 2.70	700-800	28-31	460-500	*KS-727-070
Onyx	0.70	x 3.00	750-850	30-33	485-465	*KS-730-070
Ruby	0.80	x 1.50	480-550	19-22	350-365	KS-715-080
Lavendar	0.80	x 1.60	490-540	19-21	360-375	KS-716-080
Pacific Blue	0.80	x 1.70	540-600	21-24	350-400	KS-717-080
Ash Grey	0.80	x 1.90	560-620	22-24	365-400	KS-719-080
Pink	0.80	x 2.10	620-700	24-28	400-465	KS-721-080
Lemon	0.80	x 2.30	680-760	27-30	450-500	KS-723-080
Manilla	0.80	x 2.50	700-800	28-31	460-500	*KS-725-080
Blue	0.80	x 2.70	700-800	28-31	460-500	*KS-727-080
Nasturtium	0.80	x 3.00	780-880	31-35	490-575	*KS-730-080
Bluebell	1.00	x 2.30	700-760	28-30	460-500	KS-723-100
Primrose	1.00	x 2.50	700-800	28-31	460-500	*KS-725-100
Polar White	1.00	x 2.70	710-720	28-32	475-550	*KS-727-100
Brown	1.00	x 3.00	800-1000	31-39	535-665	*KS-730-100
Pistachio	1.40	x 3.00	800-1000	31-39	565-665	*KL-730-140


Standard locators are suitable for rule size 2-3 unless otherwise stated.

\* Denotes locators are suitable for rule sizes 2-3 and 3-4. Please specify when ordering.

## Large Matrix

Plastic counter – Film Base

With widths between shoulders of 3.2mm and above, Kiss Crease Large sizes and suitable for thicker board sizes and have 21 strips of 700mm in each box




Colour Code	A	B	Board Thickness		Board Wt (gms/m <sup>2</sup> )	Order Code
			(microns)	(0.001")		
Apricot	0.50	x 4.00	920-1350	36-49	620-700	KL-740-050
Caramel	0.50	x 6.00	1350-1550	52-60	825-900	KL-760-050
Canary	0.60	x 3.20	820-1050	32-41	550-675	KL-732-060
Topaz	0.60	x 3.50	850-1250	33-49	570-695	KL-735-060
Citrus	0.60	x 4.00	920-1350	36-49	620-700	KL-740-060
Chestnut	0.60	x 5.00	1025-1350	40-54	670-825	KL-750-060
Buttercup	0.60	x 6.00	1350-1560	52-60	825-900	KL-760-060
Light Oak	0.70	x 3.20	830-1100	33-43	550-685	KL-732-070
Bottle Green	0.70	x 3.50	850-1275	33-49	570-700	KL-735-070
Aqua	0.70	x 4.00	900-1300	36-50	620-700	KL-740-070
Leaf	0.80	x 3.20	835-1175	33-46	550-685	KL-732-080
Marine Blue	0.80	x 3.50	875-1300	35-49	580-700	KL-735-080
Cornelian	0.80	x 4.00	910-1310	36-52	620-735	KL-740-080
Amber	0.80	x 5.00	1025-1375	40-54	680-825	KL-750-080
Coconut	0.80	x 6.00	1350-1560	54-62	850-925	KL-760-080
Cyclamen	0.90	x 4.00	930-1320	37-52	630-740	KL-740-090
Violet	1.00	x 3.20	850-1200	33-47	570-690	KL-732-100
Blush	1.00	x 3.50	900-1325	35-49	590-700	KL-735-100
Carnival Red	1.00	x 4.00	940-1340	37-53	650-790	KL-740-100
Sunflower	1.00	x 5.00	1050-1400	41-55	700-850	KL-750-100
Cobalt Blue	1.00	x 6.00	1400-1620	55-64	910-950	KL-760-100
Midnight Blue	1.10	x 3.50	900-1350	35-49	600-700	KL-735-110
Fudge	1.20	x 3.20	850-1225	33-48	570-690	KL-732-120
Sky	1.20	x 3.50	910-1350	36-49	620-700	KL-735-120
Grey	1.20	x 4.00	1000-1350	39-53	665-800	KL-740-120
Forest Green	1.20	x 5.00	1075-1450	46-57	750-875	KL-750-120
Mauve	1.20	x 6.00	1425-1650	56-64	910-950	KL-760-120
Mulberry	1.40	x 3.50	920-1350	36-49	620-700	KL-735-140
Charcoal	1.50	x 5.00	1300-1500	51-59	800-900	KL-750-150
Flamingo	1.60	x 4.00	1000-1350	40-54	670-825	KL-740-160
Shrimp	1.60	x 6.00	1450-1660	57-65	910-950	KL-760-160
Cream	1.70	x 6.00	1500-1700	59-67	900-980	KL-760-170

Locators are suitable for rule size 2-3, 3-4 and 6. Please specify when ordering.

## Off-Centre Matrix

Plastic counter – Film Base

Specially engineered for jobs that require two creases close together, Kiss Crease Off-Centre is placed on the creasing rules with the narrow sides adjacent enabling the smallest possible distance between creasing centres to be calculated as follows:- Distance Centre to Centre (C) = 2 x shoulder width (i.e 1.5mm) plus creasing width required (B) Kiss Off-Centre has 36 strips of 700mm in each box.



Colour Code	A	B	Board Thickness		Board Wt (gms/m <sup>2</sup> )	Order Code
			(microns)	(0.001")		
Blueberry	0.30	x 1.00	100-200	4-8	100-175	KO-710-030-OC
Light Pink	0.30	x 1.20	170-220	7-9	170-195	KO-712-030-OC
Rose Pink	0.30	x 1.30	300-350	12-14	200-250	KO-713-030-OC
Alpine	0.30	x 0.80	≤100	2-6	50-150	KO-708-030-OC
Orange	0.40	x 0.80	≤100	2-6	50-150	KO-708-040-OC
Beige	0.40	x 1.00	100-200	4-8	100-175	KO-710-040-OC
Lilac	0.40	x 1.20	150-240	6-9	150-200	KO-712-040-OC
Pale Blue	0.40	x 1.30	320-400	13-16	225-275	KO-713-040-OC
Ocean	0.40	x 1.40	340-420	13-16	240-270	KO-714-040-OC
Flame	0.40	x 1.50	400-480	15-18	260-280	KO-715-040-OC
Vanilla	0.40	x 1.70	440-450	18-20	200-350	KO-717-040-OC
Mustard	0.40	x 1.90	525-600	21-24	350-400	KO-719-040-OC
White	0.45	x 1.30	340-410	13-16	240-270	KO-713-045-OC
Toffee	0.45	x 1.40	350-420	14-17	250-290	KO-714-045-OC
Apple Green	0.45	x 1.50	375-450	16-19	270-335	KO-715-045-OC
Peach	0.50	x 1.00	100-200	7-9	165-190	KO-710-050-OC
Bright Green	0.50	x 1.30	340-420	13-16	240-270	KO-713-050-OC
Terracotta	0.50	x 1.40	350-420	14-17	240-290	KO-714-050-OC
Yellow	0.50	x 1.50	375-450	17-20	290-335	KO-715-050-OC
Avocado	0.50	x 1.70	450-520	20-22	350-375	KO-717-050-OC
Ice Blue	0.50	x 1.90	540-590	21-23	350-400	KO-719-050-OC
Powder Blue	0.55	x 1.70	510-570	20-23	350-400	KO-717-055-OC
Navy Blue	0.60	x 1.50	440-450	18-20	200-350	KO-715-060-OC
Purple	0.60	x 1.70	525-600	21-24	350-400	KO-717-060-OC
Green	0.60	x 1.90	540-600	21-24	350-400	KO-719-060-OC
Red	0.70	x 2.30	640-700	25-28	420-465	KO-723-070-OC
Blue	0.80	x 2.70	700-800	28-31	460-500	KO-727-080-OC
Nasturtium	0.80	x 3.00	780-800	31-35	490-575	KO-730-080-OC


Locators are suitable for rule size 2-3.

## Mini Matrix

Plastic counter – Film Base

Kiss Crease Mini is available for those jobs which require small distances between the cutting rule and creasing rule e.g glue flaps or apertures.

Kiss Crease Mini has 36 strips of 700mm in each box.



Colour Code	A	B	Board Thickness		Board Wt (gms/m <sup>2</sup> )	Order Code
			(microns)	(0.001")		
Arctic White	0.30	x 0.50	≤100	2-4	50-100	KM-705-030
Daffodil	0.30	x 0.60	≤100	2-4	50-100	KM-706-030
Alpine	0.30	x 0.80	≤150	2-6	50-100	KM-708-030
Blueberry	0.30	x 1.00	100-200	4-8	100-175	KM-710-030
Light Pink	0.30	x 1.20	190-230	7-9	170-195	KM-712-030
Rose Pink	0.30	x 1.30	300-350	12-14	200-250	KM-713-030
Titanium	0.30	x 1.40	320-420	13-17	225-290	KM-713-060
Light Orange	0.30	x 1.50	355-430	14-17	250-300	KM-715-030
Platinum	0.40	x 0.50	≤100	2-4	50-100	KM-705-040
Fire	0.40	x 0.60	≤100	2-4	50-100	KM-706-040
Orange	0.40	x 0.80	≤150	2-6	50-150	KM-708-040
Beige	0.40	x 1.00	100-200	4-8	100-175	KM-710-040
Lilac	0.40	x 1.20	150-240	6-9	150-200	KM-712-040
Pale Blue	0.40	x 1.30	320-400	13-16	225-275	KM-713-040
Ocean	0.40	x 1.40	330-420	13-17	225-290	KM-714-040
Flame	0.40	x 1.50	370-440	14-17	250-300	KM-715-040
Holly	0.40	x 1.60	440-500	17-20	290-335	KM-716-040
Vanilla	0.40	x 1.70	420-540	19-21	360-375	KM-717-040
Autumn	0.45	x 0.50	≤100	2-4	50-100	KM-705-045
Royal Blue	0.45	x 0.80	≤150	2-6	50-150	KM-708-045
Ivory	0.45	x 1.20	225-310	9-12	185-225	KM-712-045
White	0.45	x 1.30	320-400	13-16	225-275	KM-713-045
Toffee	0.45	x 1.40	350-420	14-17	240-290	KM-714-045
Apple Green	0.45	x 1.50	375-450	15-18	260-300	KM-715-045
Moss	0.50	x 0.80	≤150	2-6	50-150	KM-708-050
Peach	0.50	x 1.00	170-220	7-9	165-190	KM-710-050
Olive	0.50	x 1.20	285-330	11-13	210-240	KM-712-050
Bright Green	0.50	x 1.30	340-420	13-17	240-290	KM-713-050
Terracotta	0.50	x 1.40	350-420	14-17	240-290	KM-714-050
Yellow	0.50	x 1.50	440-500	17-20	290-335	KM-715-050
Cornflower	0.50	x 1.60	490-520	19-20	360-370	KM-716-050
Avocado	0.50	x 1.70	500-550	20-22	350-375	KM-717-050

Colour Code	A	B	Board Thickness		Board Wt (gms/m <sup>2</sup> )	Order Code
			(microns)	(0.001")		
Black	0.55	x 1.30	340-450	13-18	240-300	KM-713-055
Lagoon	0.55	x 1.40	350-420	14-17	240-290	KM-714-055
Fuschia	0.55	x 1.50	450-510	18-20	300-335	KM-715-055
Mango	0.55	x 1.60	490-520	19-20	360-370	KM-716-055
Powder Blue	0.55	x 1.70	510-570	20-23	350-400	KM-717-055
Aubergine	0.60	x 1.30	340-450	13-18	240-300	KM-713-060
Navy Blue	0.60	x 1.50	460-520	18-20	300-335	KM-715-060
Spearmint	0.60	x 1.60	490-530	19-21	360-370	KM-716-060
Purple	0.60	x 1.70	525-600	21-24	350-400	KM-717-060


Locators are suitable for rule size 2-3.

## Double Crease Matrix

Plastic counter – Film Base

Specially engineered for those jobs that require two creases close together, the locator on Kiss Double Crease fits over both creasing rules to ease make ready. The smallest possible distance between creasing is shown as 'C'.

Kiss Double Crease is available with 32 strips of 700mm in each box unless otherwise stated.



Colour Code	A	B	C	Board Thickness		Board Wt (gms/m <sup>2</sup> )	Order Code
				(microns)	(0.001")		
Peach - 1/8"	0.40	x 1.00	x 3.18	150-400	5-16	150-275	KD-810-040-18-D
Beige - 3.5mm	0.40	x 1.00	x 3.50	150-400	4-8	150-275	KD-810-040-3.5-D
Red - 4.0mm	0.40	x 1.00	x 4.00	100-400	5-16	150-275	KD-810-040-4-D
Blue - 5.0mm	0.40	x 1.00	x 5.00	150-400	5-16	150-275	KD-810-040-5-D
*Blueberry - 1/4"	0.40	x 1.00	x 6.35	150-400	5-16	150-275	KD-810-040-14-D
Orange - 3.5mm	0.40	x 1.30	x 3.50	150-400	5-16	150-275	KD-813-040-3.5-D
Pink - 4.0mm	0.40	x 1.30	x 4.00	150-400	5-16	150-275	KD-813-040-4-D
Yellow - 5.0mm	0.40	x 1.30	x 5.00	150-400	5-16	150-275	KD-813-040-5-D
Grey - 3.0mm	0.45	x 1.30	x 3.00	150-400	5-16	150-275	KD-813-045-3-D
Pale Blue - 1/8"	0.45	x 1.30	x 3.18	340-410	13-16	240-270	KD-813-045-18-D
White - 3.5mm	0.45	x 1.30	x 3.50	340-410	13-16	240-270	KD-813-045-3.5-D
Green - 4.0mm	0.45	x 1.30	x 4.00	340-410	13-16	240-270	KD-813-045-4-D
Black - 5.00mm	0.45	x 1.30	x 5.00	340-410	13-16	240-270	KD-813-045-5-D
*Bright Green - 1/4"	0.45	x 1.30	x 6.35	340-410	13-16	270-270	KD-813-045-14-D

\* Denotes base = 12mm and available with 21 strips of 700mm in each box.